

## WEST Search History

DATE: Friday, February 14, 2003

### Set Name Query

side by side

### Hit Count Set Name

result set

*DB=USPT,PGPB,DWPI; THES=ASSIGNEE; PLUR=YES; OP=OR*

L5	L1 same cysteine	8	L5
L4	L1 same (mutation or stability or degradation or replacement or oxidation or storage)	34	L4
L3	L2 and (@PD<19970523 or @RLAD<19970523)	121	L3
L2	(OKT3 or (CRL adj1 8001) or CRL8001).bsum.	257	L2
L1	OKT3 or (CRL adj1 8001) or CRL8001	1131	L1

END OF SEARCH HISTORY



PubMed	Nucleotide	Protein	Genome	Structure	PMC	Taxonomy	OMIM	Books	
Search	PubMed	▼ for						Go	Clear
Limits		Preview/Index		History		Clipboard		Details	

- The Clipboard will hold a maximum of 500 items.
- Clipboard items will be lost after one hour of inactivity.

Entrez  
PubMed

Display	Summary	▼	Show:	20	▼	Sort	▼	Send to	Text	▼
Items 1-7 of 7										One page.

PubMed  
Services

- ☐ 1: [Rao PE, Kroon DJ.](#) Related Articles, Links  
Orthoclone OKT3. Chemical mechanisms and functional effects of degradation of a therapeutic monoclonal antibody.  
Pharm Biotechnol. 1993;5:135-58. Review. No abstract available.  
PMID: 8019692 [PubMed - indexed for MEDLINE]

- ☐ 2: [Kroon DJ, Baldwin-Ferro A, Lalan P.](#) Related Articles, Links  
Identification of sites of degradation in a therapeutic monoclonal antibody by peptide mapping.  
Pharm Res. 1992 Nov;9(11):1386-93.  
PMID: 1475223 [PubMed - indexed for MEDLINE]

Related  
Resources

- ☐ 3: [Jolliffe LK.](#) Related Articles, Links  
Humanized antibodies: enhancing therapeutic utility through antibody engineering.  
Int Rev Immunol. 1993;10(2-3):241-50. Review.  
PMID: 8360588 [PubMed - indexed for MEDLINE]

- ☐ 4: [Kipriyanov SM, Moldenhauer G, Martin AC, Kupriyanova OA, Little M.](#) Related Articles, Links  
Two amino acid mutations in an anti-human CD3 single chain Fv antibody fragment that affect the yield on bacterial secretion but not the affinity.  
Protein Eng. 1997 Apr;10(4):445-53.  
PMID: 9194170 [PubMed - indexed for MEDLINE]

- ☐ 5: [Choi I, De Ines C, Kurschner T, Cochlovius B, Sorensen V, Olafsen T, Sandlie I, Little M.](#) Related Articles, Links  
Recombinant chimeric OKT3 scFv IgM antibodies mediate immune suppression while reducing T cell activation in vitro.  
Eur J Immunol. 2001 Jan;31(1):94-106.  
PMID: 11169443 [PubMed - indexed for MEDLINE]

- ☐ 6: [Alegre ML, Collins AM, Pulito VL, Brosius RA, Olson WC, Zivin RA, Knowles R, Thistlethwaite JR, Jolliffe LK, Bluestone JA.](#) Related Articles, Links  
Effect of a single amino acid mutation on the activating and immunosuppressive properties of a "humanized" OKT3 monoclonal antibody.  
J Immunol. 1992 Jun 1;148(11):3461-8.  
PMID: 1534096 [PubMed - indexed for MEDLINE]

- ☐ 7: [Adair JR, Athwal DS, Bodmer MW, Bright SM, Collins AM, Pulito VL, Rao PE, Reedman R, Rothermel AL, Xu D, et al.](#) Related Articles, Links  
Humanization of the murine anti-human CD3 monoclonal antibody OKT3.  
Hum Antibodies Hybridomas. 1994;5(1-2):41-7.  
PMID: 7858182 [PubMed - indexed for MEDLINE]

Display	Summary	<input type="checkbox"/>	Show: 20	<input type="checkbox"/>	Sort	<input type="checkbox"/>	Send to	Text	<input type="checkbox"/>
Items 1-7 of 7								One page.	

[Write to the Help Desk](#)  
[NCBI](#) | [NLM](#) | [NIH](#)  
[Department of Health & Human Services](#)  
[Freedom of Information Act](#) | [Disclaimer](#)

2003/11/14 12:17 PM